



Phone: 877-738-7259
M-F 8:30am – 5:00pm MT

OVERDOSE RECOMMENDATIONS

If your pet has eaten more than the suggested usage of our supplement product(s) and is experiencing adverse effects, please read the following recommendations. The contact number for Animal Poison Control Center is (888) 426-4435.

Daily Love, Young-4-Life, Get Up and Go

- Not necessary to induce vomiting.
- Watch for side-effects, diarrhea and vomiting are possible. If these effects do occur, they should not last more than 24 hours.
- Stop usage for about a week.

Calming Bliss

- Induce vomiting (see below) if overdose has occurred within 12 hours.
- After 12 hours, not necessary to induce vomiting.
- Watch closely for next 24 hours for side effects; excessive drowsiness is possible.
- Stop usage for about a week.

Scratchy Dog

- Induce vomiting (see below), ideally within an hour of ingestion
- Watch for side effects, including continued vomiting, ataxia, hypersalivation, tremors, seizures, and weakness. If these side effects are present, please call your veterinarian or local veterinary emergency clinic.
- Stop usage for one week

If you must induce vomiting at home, do so by orally administering equal parts water and hydrogen peroxide. Use 1 teaspoon peroxide plus 1 tsp water for every 5 lbs of the pet's body weight, not exceeding 9 teaspoons (or 3 Tablespoons). In other words, if your pet weighs 45 lbs or more, do not use more than 3 Tbsp hydrogen peroxide.